

Program LEQ Professional v. 6-2019 dla Windows

Dane do obliczeń :

Współczynnik gruntu (całego obszaru analizy)-global G = 0.500


Temperatura otoczenia 10[°C]

Źródła punktowe

Nr	X[m]	Y[m]	z[m]	Pma	Symbol
1	385.9	495.0	1.0	73.0	SC
2	434.4	492.2	1.0	73.0	SC
3	482.9	489.5	1.0	73.0	SC
4	531.4	486.8	1.0	73.0	SC
5	579.9	484.0	1.0	73.0	SC
6	628.4	481.3	1.0	73.0	SC
7	676.9	478.6	1.0	73.0	SC
8	725.3	475.9	1.0	73.0	SC
9	773.8	473.1	1.0	73.0	SC
10	822.3	470.4	1.0	73.0	SC
11	876.2	459.9	1.0	73.0	SC
12	921.6	443.4	1.0	73.0	SC
13	967.0	426.8	1.0	73.0	SC
14	1012.4	410.3	1.0	73.0	SC
15	869.8	527.4	1.0	73.0	SC
16	852.1	478.6	1.0	73.0	SC
17	834.5	429.8	1.0	73.0	SC
18	816.9	381.1	1.0	73.0	SC
19	799.3	332.3	1.0	73.0	SC
20	781.7	283.5	1.0	73.0	SC
21	558.3	628.2	1.0	73.0	SC
22	556.1	578.9	1.0	73.0	SC
23	554.0	529.7	1.0	73.0	SC
24	551.8	480.4	1.0	73.0	SC
25	549.7	431.1	1.0	73.0	SC
26	547.5	381.8	1.0	73.0	SC
27	445.5	538.2	1.0	73.0	SC
28	448.2	582.7	1.0	73.0	SC
29	450.9	627.2	1.0	73.0	SC
30	453.7	671.7	1.0	73.0	SC
31	362.0	497.2	1.0	50.0	SO
32	371.8	498.0	1.0	50.0	SO
33	382.8	498.0	1.0	50.0	SO
34	382.6	490.1	1.0	50.0	SO
35	384.0	479.8	1.0	50.0	SO
36	371.8	476.4	1.0	50.0	SO

Punkty obserwacji

Nr	Symbol	X[m]	Y[m]	z[m]
1		529.7	239.4	4.0
2		586.1	229.5	4.0
3		581.9	181.6	4.0



LEGENDA	
<div></div>	35 dB (A)
<div></div>	40 dB (A)
<div></div>	45 dB (A)
<div></div>	50 dB (A)
<div></div>	55 dB (A)